



EMERSON WOOD™

COLORBODY™ PORCELAIN FLOOR & MOSAIC



8 x 48 □ Floor Tile







FINISHES: MATTE

COLOR PALETTE



ASH WHITE



BUTTER PECAN



BALSAM FIR



HICKORY PECAN



BRAZILIAN WALNUT

COLORBODY™ PORCELAIN FLOOR TILE with STEPWISE™



ASH WHITE EPO6



BUTTER PECAN EP01



BALSAM FIR EP04



HICKORY PECAN EP05



BRAZILIAN WALNUT EP03

COLORBODY™ PORCELAIN 3D CUBE MOSAIC with STEPWISE™



ASH WHITE EP06



BUTTER PECAN EP01



BALSAM FIR EP04



HICKORY PECAN EP05



BRAZILIAN WALNUT EP03



















FIRE-RESISTANT INDOOR/OUTDOOR

EMERSON WOOD™

COLORBODY™ PORCELAIN FLOOR & MOSAIC



ALL STYLE. NO SLIPS.

Don't tip-toe through life. Step stylishly on non-slip tile that's 50% more slip resistant than ordinary tile. And because it's Daltile, you'll find beautiful natural looks that are waterproof, scratchproof, stainproof and dentproof.

SIZES

| | | | Thickness | Sq. Ft./ Carton | Pieces/ Carton |
|------------|------------------------|--|-----------|--------------------|-------------------|
| | □ 8 x 48 Floor Tile | (7-3/4" x 46-15/16") (19.71 cm x 119.30 cm) | 5/16" | 15.18 | 6 |
| | □ 6 x 48 Floor Tile | (5-3/4" × 46-15/16") (14.71 cm × 119.30 cm) | 5/16" | 15.12 | 8 |
| \bigcirc | | (11-1/2" x 11-1/2" Sheet) (29.21 cm x 29.21 cm Sheet) | 5/16" | 6.20 | 10 |

^{† 3}D Cube mosaic with StepWise™ technology requires special installation considerations. Please refer to daltile.com/EmersonWood for more information.

APPLICATIONS

| | Target DCOF wet | Suitable |
|--|--------------------|----------|
| Dry & Level – Interior Floor | N/A | ✓ |
| Wet & Level – Interior Floor | ≥ 0.42 | ✓ |
| Shower Floors (Residential or Light Commercial) | ≥ 0.42 | |
| Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear) | ≥ 0.60 | ~ |
| Ramps & Inclines | ≥ 0.65 | |
| Walls/Backsplashes | N/A | ✓ |
| Countertops | N/A | ✓ |
| Pool Linings | N/A | |

A DCOF value of \geq 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest $^{"}$, visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

INSTALLATION

| Grout Joint Recommendation | Shade Variation |
|---|-----------------|
| Floor: 1/8" (3/16" when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 35%.) | Random (V4) |

Mosaic: 1/8'

PERFORMANCE CHARACTERISTICS

| | ASTM# | Result |
|---------------------|-------|-----------|
| Water Absorption | C373 | < 0.5% |
| Breaking Strength | C648 | > 275 lbs |
| Scratch Hardness | MOHS | 8.0 |
| Chemical Resistance | C650 | Resistant |

For additional information on test results, visit us at: daltile.com/information/TestResults.

DURABILITY

| Flo | Floor Surface Wear Resistance | | | |
|-----|-------------------------------|---|------------------------------------|--|
| 1 | Residential Bathrooms | 3 | All Residential / Light Commercial | |
| 2 | All Residential Areas | 4 | All Residential / Commercial | |

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: daltile.com/Factors.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to daltile.com/LargeTiles for more information

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.









All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.









