

REKINDLE™

COLORBODY™ PORCELAIN with STEPWISE™ TECHNOLOGY

Rustic Elegance

Step into rustic comfort with Rekindle[™], a concrete look inspired by the restoring effects of a peaceful lifestyle. Large format pavers available in the series' most popular colors, Terracotta and White, allow for a smooth, earthy look in outdoor spaces. Rekindle[™] features both StepWise[™] technology, which makes this a perfect choice for exterior living spaces.

CONCRETE LOOK

USAGE



































SEE CHARTS FOR FUL

TAKE IT OUTSION

TAKE IT OUTSION

THE PROPERTY OF THE PROPERTY

Cover features Xteriors" Rekindle" Terracotta 24 x 24 paver on the floor and Panoramic Porcelain Surfaces Industrial Selection, Belmont Terrace around the fireplace.

| SIZES:

24 x 24 Paver Tile

FINISHES: TEXTURED

COLORBODY™ PORCELAIN PAVERS





TERRACOTTA RK14

















SLIP RESISTANT

STAINPROOF

SCRATCH-RESISTANT FIRE-RESISTANT

INDOOR/OUTDOOR

REKINDLE™

COLORBODY™ PORCELAIN with STEPWISE™ TECHNOLOGY

SIZES

	Thickness	Sq. Ft./ Carton	Pieces/ Carton
23-3/8" x 23-3/8" (59.44 cm x 59.44 cm)	13/16") (2cm)	7.60	2
Туре	Notes		
Rectified Step Nose			
Coping	† Trim items available in many		
Rectified Gutter	sizes and colors. Consult with your sales representative and/or design team for specifics.		
Rectified Grid			
	Type Rectified Step Nose Coping Rectified Gutter	23-3/8" x 23-3/8" 13/16" (2cm) Type No Rectified Step Nose Coping Rectified Gutter * Trim items avasizes and color: your sales repredesign team for	Type Notes Rectified Step Nose Coping Rectified Gutter Rectified Gutter Rectified Gutter Tinickness Carton (2cm) 7.60 Notes

Rectified L-Kerb

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	~
Wet & Level – Interior Floor	≥ 0.42	✓
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	~
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	~
Countertops	N/A	~
Pool Linings	N/A	

A DCOF value of \geq 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest $^{"}$, visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.







INSTALLATION

Dry Laying on Grass:	The gaps between the slabs should be chosen depending on the overall desired aesthetic.
Dry Laying on Gravel:	Gaps of at least 3/16" (5 mm) should be left between slabs, using spacers to set the correct width. Joint may be left empty or filled with fine sand, polymeric sand specifically formulated for porcelain tile or small, clean aggregate, depending on the joint width and desired aesthetic.
Dry Laying on Sand:	The gaps between the slabs should be chosen depending on the overall desired aesthetic.
Laying on Screed with Adhesive:	Slabs must be laid with open joints of variable width of no less than 3/16" (5 mm).
Raised Pavings:	Pedestal contains correct tile spacers for application.

SHADE VARIATION



High (V3)

PERFORMANCE CHARACTERISTICS

	ASTM#	Paver Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 1000 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: daltile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: daltile.com/Factors,

To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to daltile.com/LargeTiles.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.







