

# **SYNCHRONIC™**

COLORBODY™ PORCELAIN

Explore new terrain with Synchronic™, an ultra-durable and high-performing ColorBody<sup>™</sup> porcelain tile. An array of neutral colors in a matte finish are available in 24 x 24, 18 x 36, and 12 x 24. A multi-dimensional textured finish is featured in the 12 x 24 size and is suitable for exterior floor use. Proudly made in the U.S.A. and rectified, Synchronic delivers a minimalistic concrete look with quality and style.





Cover photo features Synchronic Beige 18 x 36 matte on the floor and Xteriors Multiquartz 20 White 24 x 24 on the exterior floor.

Above photo features Synchronic™ Grey 18 x 36 matte on the floor.

# CONCRETE LOOK





























































FLOOR TILE - MATTE











WHITE SY30

BEIGE SY31

TAUPE SY32

**GREY SY33** 

CHARCOAL SY34

# FLOOR TILE - TEXTURED











# 1 X 6 STRAIGHT-JOINT MOSAIC











WHITE SY30

BEIGE SY31

TAUPE SY32

**GREY SY33** 

CHARCOAL SY34

















SLIP RESISTANT

STAINPROOF

SCRATCH-RESISTANT

# **SYNCHRONIC**<sup>™</sup>

# COLORBODY™ PORCELAIN

# SIZES

		Thickness	Sq. Ft./ Carton	Pieces/ Carton
24 x 24 Floor Tile*	(23-3/8" x 23-3/8") (59.44 cm x 59.44 cm)	5/16"	15.21	4
18 x 36 Floor Tile*	(17-9/16" x 35-3/16") (44.65 cm x 89.50 cm)	5/16"	12.90	3
12 x 24 Floor Tile	(11-5/8" x 23-3/8") (29.56 cm x 59.44 cm)	5/16"	17.02	9
1 x 6 Straight-joint Mosaic* (Mesh-mounted)	(12" x 12" Sheet) (30.48 cm x 30.48 cm Sheet)	5/16"	10	10

<sup>\*</sup>Available in Matte finish only.

#### **APPLICATIONS**

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	<b>✓</b>
Wet & Level – Interior Floor	≥ 0.42	<b>✓</b>
Shower Floors (Residential or Light Commercial)	≥ 0.42	<b>/</b> *
Exterior Floor Applications, (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	Т
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	<b>✓</b>
Countertops	N/A	<b>✓</b>
Pool Linings	N/A	<b>/</b> *

A DCOF value of  $\geq$ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest", visit daltile.com/DCOF.

## APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

# TRIM

Туре	Number	Size	Pieces/Carton
Floor Bullnose	P43F9	3 x 24	10
Cove Base	P36C9	6 x 12	22
Cove Base Corner	PC36C9	1 x 6	15

# INSTALLATION

Mosaic: 1/8"

Grout Joint Recommendation	Shade Variation
Floor: 1/8" (3/16" when multiple sizes are installed in a modular pattern, and/or when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)	Medium (V2)

### PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 275 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at: daltile.com/information/TestResults.

## **DURABILITY**

Floor Surface Wear Resistance				
1	Residential Bathrooms	3	All Residential / Light Commercial	
2	All Residential Areas	4	All Residential / Commercial	

## NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: daltile. com/Factors.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to daltile.com/LargeTiles for more information.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.



All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.











<sup>\*</sup> Mosaic tile only

<sup>&</sup>lt;sup>T</sup> Textured finish only. Due to limitations of the test, measured DCOF value is not an appropriate indicator of performance for all product types. For such products, different criteria are used to determine use classification per the requirements of Section 3.4 of ANSI A326.3-2021. For more information, visit daltile.com/DCOF.