

STACKED STONE

NATURAL STONE



Photo features Stacked Stone Golden Sun 6 x 24 Natural Cleft Ungauged with Stacked Stone Corner 6 x 8 and 6 x 15 on the fireplace and Neoconcrete Medium Gray 12 x 24 on the floor.

QUARTZITE



GOLDEN SUN S783
6" x 24" Stacked Stone
Natural Cleft Ungauged



SHANGHAI RUST S349
6" x 24" Stacked Stone
Natural Cleft Ungauged



BEIJIN GREEN S282
6" x 24" Stacked Stone
Natural Cleft Ungauged



IMPERIAL FALLS S316
6" x 24" Stacked Stone
Natural Cleft Ungauged



GOLDEN SUN S783
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner



SHANGHAI RUST S349
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner



BEIJIN GREEN S282
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner



IMPERIAL FALLS S316
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner

SLATE



TIBETAN SLATE S317
6" x 24" Stacked Stone
Natural Cleft Ungauged



EASTERN SAND S319
6" x 24" Stacked Stone
Natural Cleft Ungauged



DYNASTY MOUNTAIN S318
6" x 24" Stacked Stone
Natural Cleft Ungauged



TIBETAN SLATE S317
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner



EASTERN SAND S319
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner



DYNASTY MOUNTAIN S318
6" H x 8" L | 6" H x 15-1/2" L
Stacked Stone Corner

NATURAL STONE



Photo features Stacked Stone Golden Sun 6 x 24 Natural Cleft Ungauged with Stacked Stone Corner 6 x 8 and 6 x 15 on the fireplace.



SIZES

		THICKNESS	COLORS	SQ. FT./ CARTON	PIECES/ CARTON
6 x 24 Stacked Stone	6" x 23-11/16" (15.20 cm x 60.00 cm)	5/8" - 3/4"	S282, S316, S317, S349, S783	4	4
6 x 8 & 6 x 15-1/2 Stacked Stone Corner	6" x 8" & 6" x 15-1/2" (15.20 cm x 20.30 cm & 15.20 cm x 39.40 cm)	5/8" - 3/4"	S282, S316, S317, S349, S783	4	4 SETS OF CORNERS
6 x 24 Stacked Stone	6" x 23-11/16" (15.20 cm x 60.00 cm)	5/8" - 3/4"	S318 & S319	6	6
6 x 8 & 6 x 15-1/2 Stacked Stone Corner	6" x 8" & 6" x 15-1/2" (15.20 cm x 20.30 cm & 15.20 cm x 39.40 cm)	5/8" - 3/4"	S318 & S319	6	6 SETS OF CORNERS

NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by American Olean. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at americanolean.com/sug.