

# CITY LIGHTS<sup>M</sup> SICIS



# TABLE OF CONTENTS

AVIAX MANHATTAN	. 4
WHEEL ST. MORITZ	. 6
	14
CHROMO LONDON	18
DELICIA MONTE CARLO	
MIX V BARCELONA	24
COMBINATION ST. MORITZ	30
CARINA LONDON	32
517 MANHATTAN	33
INDIRAMA BARCELONA	36
DORADO PARIS	37
	40
TALISMAN LONDON	41
INDIRA SOUTH BEACH	44
DUNE CAPRI	48
FLUXUS SOUTH BEACH	60
RANDOM HOLLYWOOD	62
CHANTILLY PARIS	66
TARANTULA LAS VEGAS	68
TECHNICAL INFORMATION	82

Cover photo: Aviax Manhattan KEY COLORS: 535 · 564 · 746 CL38445145



# FLOOR | WALL | COUNTERTOP CITY LIGHTS<sup>™</sup>

## Monte Carlo CL63\*\*




page 26

Bangkok CL61\*\*









St. Moritz CL65\*



page 10

Paris CL67\*



page 38

Hollywood CL64\*



page 64

Barcelona CL66\*\*



page 28 \*Paper-mounted \*\*Mesh-mounted





page 42





page 56



page 76

## Capri CL68\*\*



page 46





page 52

### Rio CL73\*\*



page 80

# Las Vegas CL69\*\*



page 70

Tokyo CL62\*



page 74

page 16 Manhattan CL74\*\*

page 34

London CL60\*\*









BARRELS 564



BARRELS 535



DOMES 564



BARRELS 535



BARRELS 746


# Aviax Manhattan\*\*


### KEY COLORS: 535 · 564 · 746

### \*\*Mesh-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.






Aviax Manhattan Full Module - Layout


Module Size	SF per Module	UOM	U/M per Carton	Module per Carton
25" x 24 3/4"	3,8	SF	15,2	4

**BARRELS** Tessera Size Ø 6/8"

**DOMES** Tessera Size 2"x7/8"







Module "A" Size	SF per Piece	UOM	U/M per Crate	Pieces per Crate
56 5/8" x 56 5/8"	16,09	SF	from to 16,09 193,08	from to 1 12

Item can be purchased by full module

Module "B" Size	SF per Piece	UOM	U/M per Crate	Pieces per Crate
ø 33 5/8″	6,16	SF	from to 6,16 73,92	from to 1 12





# Wheel St. Moritz\*\*

KEY COLORS: 720

### \*\*Mesh-mounted







In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



BARRELS 720

720

BARRELS 720









## St. Moritz CL65\*

Composition:	
Ginger	33%
Daisy	33%
Lilium	34%

\*Paper-mounted


In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.




# FIELD COLOR


# GLASS MOSAIC CITY LIGHTS™



Ginger · Glimmer\* \*Paper-mounted




Lilium · Iridium\*\*
\*\*Mesh-mounted



**A daltile** 

Daisy · Iridium\*\*
\*\*Mesh-mounted
















# Incensio Bangkok\* CL85445164

KEY COLORS: 510,5 G · 501 · 532 · 538 · 570

## \*Paper-mounted

BARRELS Tessera Size Ø 6/8"



Sheet size 11<sup>5/8</sup>" x 10<sup>7/8</sup>"

Box 16 sheets

Thickness 1/4″

ITEM CAN BE PURCHAISED BY THE SHEET



BARRELS 510,5 G



BARRELS 501



BARRELS 532



BARRELS 538



BARRELS 570

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



15



Bangkok CL61\*\*\*Composition:Wenge60%Chestnut 430%Sandalwood10%

\*\*Mesh-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.


Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



# GLASS MOSAIC CITY LIGHTS™

# Chestnut 4 · Murano\*\*






Wenge · Natural\* \*Paper-mounted



Sandalwood · Natural\* \*Paper-mounted





# Chromo London\* CL83445162

KEY COLORS: 521 A · 521 S · 545 S

### \*Paper-mounted




BARRELS 521 A




BARRELS 521 S



BARRELS 545 S





Sheet size 11<sup>5/8</sup>" x 10<sup>7/8</sup>" Thickness 1/4″

Box 16 sheets




ITEM CAN BE PURCHAISED BY THE SHEET

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.







# London CL60\*\*

Composition:	
Mud	50%
Slate	40%
Vis One	10%

\*\*Mesh-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.


Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

# **GLASS MOSAIC** CITY LIGHTS

Slate · Natural\*

\*Paper-mounted


Vis One · Colibrì\* \*Paper-mounted




**A** daltile IMAGINE WHAT'S POSSIBLE

ITEM CAN BE PURCHAISED BY THE SHEET















BARRELS 528



BARRELS 515



BARRELS NG MILK CHOCOLATE



PETITES FLEURS FO5



DOMES **510,5 R** 



DOMES **528** 




DOMES MARBLE EMPERADOR LIGHT

# Delicia Monte Carlo\*\*

CL37445144


KEY COLORS: 510,5 R · 515 · 528 · F05 · NG Milk Chocolate · Marble Emperador Light

### \*\*Mesh-mounted



Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.






Delicia Montecarlo Full Module - Layout


Module Size	SF per Module	UOM	U/M per Carton	Module per Carton
24″ x 24″	4,278	SF	17,112	4

# Mix V Barcelona\*\* CL44445151

**KEY COLORS:** 554 · 522 · NG Sand Marble Calacatta Vagli Marble Emperador Light

## \*\*Mesh-mounted






Mix V Barcelona - Sheet "C"

Not recommended for submerged application. This item can be used in wet or humid areas. The adhesive and the grouting must be epoxy mortar. Natural stone must be sealed prior to grouting with epoxy. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS




13 3/8"



Marble Calacatta Vagli



Marble Emperador Light



Mix V Barcelona Full Module - Layout

BARRELS Tessera Size Ø 6/8"

DOMES Tessera Size 2"x7/8"

Module Size	SF per Module	UOM	U/M per Carton	Module per Carton
26 1/2" x 25 3/4"	4,16	SF	16,64	4





BARRELS 554



BARRELS 522



BARRELS NG SAND



BARRELS MARBLE CALACATTA VAGLI



BARRELS MARBLE EMPERADOR LIGHT




DOMES **554** 



DOMES NG SAND



DOMES MARBLE CALACATTA VAGLI






# Monte Carlo CL63\*\*Composition:Wenge48%Chestnut 437%Mirtillo12%Vis Two03%

\*\*Mesh-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS



Wenge · Natural\* \*Paper-mounted




Mirtillo · Glimmer\* \*Paper-mounted



Chestnut 4 · Murano\*\* \*\*Mesh-mounted




Vis Two · Colibrì\* \*Paper-mounted





# GLASS MOSAIC CITY LIGHTS™



### Barcelona CL66\*\*

Composition:	
Cinnamon	57%
Engeril	07%
Marigold 3	<b>29</b> %
Sand	07%

\*\*Mesh-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS



Cinnamon · Natural\* \*Paper-mounted




Marigold 3 · Iridium\*\* \*\*Mesh-mounted



Engeril · Colibrì\* \*Paper-mounted



Sand · Natural\* \*Paper-mounted



A daltile

# glass mosaic CITY LIGHTS™




# Combination St. Moritz\*\*

(FIELD) CL46445153 (BORDER) CL47445154 (CORNER) CL48445155

KEY COLORS: 220 · 221 · F01 · F16

### \*\*Mesh-mounted





Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
6 3/8″ x 6 3/8″	0,277	SF		

Corner - Item can be purchased by the sheet

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
13 7/8″ x 6 3/8″	0,582	SF		

Border - Item can be purchased by the sheet

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
9 3/8″ x 8 3/4″	0,531	SF	8,496	16

Field - Item can be purchased by the sheet




Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



31






Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

# Carina London\* CL58445160

**KEY COLORS:** 502 · 521 A · 521 S · 524 · 535 · 550 · 746 · NG Slate · NG White Marble Calacatta · Marble Bardiglio Orientale

## \*Paper-mounted





Sheet Size	SF per Module	UOM	U/M per Carton	Module per Carton
10 7/8″ x 11 5/8	" 3,48	SF	13,92	4

# 517 Manhattan\*

KEY COLORS: 220 · 521 S · 550 · 720

## \*Paper-mounted





**BARRELS** Tessera Size Ø 6/8"

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
10 7/8″ x 11 5/8″	0,87	SF	13,92	16

Item can be purchased by the sheet

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.





### Manhattan CL74\*\*


Composition:	
Black	30%
Titanium 3	25%
Mud	25%
Vis One	10%
Grey Flannel	05%
Rastaban	05%

\*\*Mesh-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.


SICIS



Black · Murano\*\* \*\*Mesh-mounted



Titanium 3 · Murano\*\* \*\*Mesh-mounted



Mud · Natural\* \*Paper-mounted




Vis One · Colibrì\* \*Paper-mounted



Grey Flannel · Colibrì\* \*Paper-mounted




Rastaban · Colibrì\* \*Paper-mounted





**GLASS MOSAIC** CITY LIGHTS





DOMES 555





### DOMES MARBLE CALACATTA VAGLI

# Indirama Barcelona\*\*


CL39445146

KEY COLORS: 524 · 527 · 555 · Aurum · Marble Calacatta Vagli

### \*\*Mesh-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



	) BARRELS Tessera Size Ø 6/8"
	<b>CUBES</b> Tessera Size 7/8"x7/8"
$\bigcirc$	<b>DOMES</b> Tessera Size 2"x7/8"

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
23 5/8" x 23 5/8"	3,875	SF	3,875	1



This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



PETITES FLEURS F04 BARRELS NG BIRCH

BARRELS 510,5 G

BARRELS Tessera Size Ø 6/8"


DOMES Tessera Size 2"x7/8"

PETITES FLEURS Tessera Size Ø 1 1/4"



DOMES NG SAND

93/8" 93/8" CL45445152 KEY COLORS: 510,5 G · Aurum · F04 · NG Birch · NG Sand \*\*Mesh-mounted 83/4" 83/4" 83/4" Dorado Paris - Sheet "A" Dorado Paris - Sheet "B"





Dorado Paris\*\*

Full Module Layout

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
9 3/8″ x 8 3/4″	0,531	SF	8,496	16

Item can be purchased by full module




### Paris CL67\*

Composition:	
Sand	55%
Marigold 3	25%
Birch	10%
Zinnia 2	10%

\*Paper-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



Sand · Natural\* \*Paper-mounted




Birch · Natural\* \*Paper-mounted



Marigold 3 · Iridium\*\* \*\*Mesh-mounted



Zinnia 2 · Iridium\*\* \*\*Mesh-mounted





### GLASS MOSAIC CITY LIGHTS™













DOMES **545 S** 

### Herringbone London\*\*


KEY COLORS: 521 A · 521 S · 545 S · NG Slate


### \*\*Mesh-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS







**DOMES** Tessera Size 2"x7/8"

	Sheet Size	SF per Module	UOM	U/M per Carton	Module per Carton
x7/8"	12″ x 11 1/4″	2,556	SF	12,78	5


Item can be purchased by the sheet

### Talisman London\*\*

CL40445147

KEY COLORS: 502 · 521 A · 550 · 562 · F06 · Marble Bardiglio Orientale

### \*\*Mesh-mounted





DOMES Tessera Size 2"x7/8"

Module Size	SF per Module	UOM	U/M per Carton	Module per Carton
25 1/8″ x 24 7/8″	3,882	SF	15,528	4

Item can be purchased by full module



BARRELS 502





BARRELS 550



PETITES FLEURS FO6 BARRELS MARBLE BARDIGLIO ORIENTALE



DOMES 521 A



DOMES 562





DOMES MARBLE BARDIGLIO ORIENTALE

Not recommended for submerged application. This item can be used in wet or humid areas. The adhesive and the grouting must be epoxy mortar. Natural stone must be sealed prior to grouting with epoxy. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.





### South Beach CL71\* Composition: Petunia 1 20% Hyacinth 30% Ananas 30% Breeze 20%

\*Paper-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.




Petunia 1 · Iridium\*\* \*\*Mesh-mounted




Ananas · Glimmer\* \*Paper-mounted



Hyacinth · Iridium\*\* \*\*Mesh-mounted




Breeze · WaterGlass\* \*Paper-mounted





GLASS MOSAIC CITY LIGHTS™





BARRELS 220



BARRELS 550



BARRELS 557



CUBES 720



DOMES **720** 



DOMES 557



DOMES 550


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

Indira South Beach\*\*

KEY COLORS: 220, 550, 557, 720

### \*\*Mesh-mounted



Indira South Beach - Module


CUBES Tessera Size 7/8"x7/8"

BARRELS Tessera Size Ø 6/8"

DOMES Tessera Size 2"x7/8"

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
23 5/8" x 23 5/8"	3,875	SF	3,875	1

Item can be purchased by full module





### Capri CL68\*\*


Composition:	
lris 4	25%
Blue Angel	25%
Sapphire 3	25%
Periwinkle	25%

\*\*Mesh-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.






Iris 4 · Iridium\*\* \*\*Mesh-mounted




Sapphire 3 · Murano\*\*
\*\*Mesh-mounted



Blue Angel · Natural\* \*Paper-mounted




Periwinkle · Iridium\*\* \*\*Mesh-mounted





CITY LIGHTS™

## DUNE CAPRI



Please Note: Anti-slip Floor Finish, Sicisgrip, available by special order only, standard finish not appropriate for outdoor floor use.

SICIS

GL

Please Note: Anti-slip Floor Finish, Sicisgrip, available by special order only, standard finish not appropriate for outdoor floor use.

The second second second second

63.3


TTT TT

2.03

### Dune Capri\*

KEY COLORS: 220 · 533 · 534 · 557 · 565 · 585

### \*Paper-mounted





DOMES 220



DOMES 557



DOMES 565



DOMES 585



DOMES 534



This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

Item can be purchased by full module






### 20%Fern 320%Fern 420%Turquoise 320%Aquamarine J20%Aquamarine 420%

\*\*Mesh-mounted


In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS




Turquoise 3 · Murano\*\* \*\*Mesh-mounted



Aquamarine J · Murano\*\* \*\*Mesh-mounted




Fern 3 · Iridium\*\* \*\*Mesh-mounted



Fern 4 · Iridium\*\* \*\*Mesh-mounted




Aquamarine 4 · Murano\*\* \*\*Mesh-mounted



ITEM CAN BE PURCHAISED BY THE SHEET



**GLASS MOSAIC** CITY LIGHTS



### GLASS MOSAIC CITY LIGHTS™





### St. Thomas CL70\*\*


Composition:	
Iris 1	20%
Mint 2	20%
Emerald 2	20%
Fern 2	20%
Aquamarine 3	20%

\*\*Mesh-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS



Aquamarine 3 · Murano\*\* \*\*Mesh-mounted



Fern 2 · Iridium\*\* \*\*Mesh-mounted




Iris 1 · Iridium\*\* \*\*Mesh-mounted



Mint 2 · Iridium\*\* \*\*Mesh-mounted


Emerald 2 · Murano\*\* \*\*Mesh-mounted



ITEM CAN BE PURCHAISED BY THE SHEET



**GLASS MOSAIC** CITY LIGHTS



### GLASS MOSAIC CITY LIGHTS™











BARRELS NG MILK CHOCOLATE



PETITES FLEURS F13



DOMES **220** 



DOMES **221** 



DOMES **742** 


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

### Fluxus South Beach\*\*

KEY COLORS: 220 · 221 · 742 · Aurum F13 · NG Milk Chocolate

### \*\*Mesh-mounted



BARRELS Tessera Size Ø 6/8"

PETITES FLEURS Tessera Size Ø 1 1/4"

DOMES Tessera Size 2"x7/8"

Sheet Size	SF per Piece	UOM	U/M per Carton	Pieces per Carton
27 3/8″ x 28 3/4″	5,46	SF	5,46	1

Item can be purchased by the module




### Random Hollywood\*\*


KEY COLORS: 510,5 R · 545 G · Aurum · NG Birch · NG Sand

### \*\*Mesh-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.


Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.





Random Hollywood - Sheet "B"





Random Hollywood - Sheet "D"



Random Hollywood Full Module - Layout

 BARRELS Tessera Size Ø 6/8"

 DOMES Tessera Size 2"x7/8"

Module Size	SF per Module	UOM	U/M per Carton	Module per Carton
22 1/2" x 22 3/4"	3,14	SF	12,56	4

Item can be purchased by full module

SICIS





Hollywood CL64\* Composition: Passion Flower 54% Sand 10% Aldebaran 09% Marigold 2 27%

\*Paper-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.


SICIS



Passion Flower · Glimmer\* \*Paper-mounted




Aldebaran · Colibrì\* \*Paper-mounted



Sand · Natural\*
\*Paper-mounted



Marigold 2 · Iridium\*\* \*\*Mesh-mounted





### GLASS MOSAIC CITY LIGHTS™



### Chantilly Paris\*

KEY COLORS: 550 · NG Birch · NG Chestnut 1

### \*Paper-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

**Sheet size** 11<sup>5/8</sup>" x 10<sup>7/8</sup>" **Thickness** 1/4" Box 16 sheets

ITEM CAN BE PURCHAISED BY THE SHEET



BARRELS 550



BARRELS NG CHESTNUT 1





# SICIS

£.



### Tarantula Las Vegas\*

CL59445161


KEY COLORS: 502 · 544 · 546 · 746 · NG INdaco · NG Titanium 2

### \*Paper-mounted

This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

BARRELS Tessera Size Ø 6/8"



Sheet size 11<sup>5/8</sup>" x 10<sup>7/8"</sup> Thickness 1/4″

Box 16 sheets

ITEM CAN BE PURCHAISED BY THE SHEET



BARRELS 502



BARRELS 544



BARRELS 546



BARRELS 746



BARRELS NG INDACO



BARRELS NG TITANIUM 2





### Las Vegas CL69\*\*

56%
10%
28%
03%
03%

\*\*Mesh-mounted


This item can be used submerged wet or humid areas. The adhesive and the grouting must be epoxy mortar. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS




Astrid · Colibrì\* \*Paper-mounted




Petunia 4 · Iridium\*\* \*\*Mesh-mounted




Black · Murano\*\* \*\*Mesh-mounted



Horizon · Natural\* \*Paper-mounted



Swami · Colibrì\* \*Paper-mounted





**GLASS MOSAIC** CITY LIGHTS





# BLENDS



# Tokyo CL62\*


Composition:	
Azalea 4	20%
Blackberry	20%
Beachplum	20%
Amethyst 4	20%
Mirtillo	20%

\*Paper-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.

SICIS




Azalea 4 · Iridium\*\* \*\*Mesh-mounted




Amethyst 4 · Murano\*\* \*\*Mesh-mounted




Mirtillo · Glimmer\* \*Paper-mounted



Blackberry · WaterGlass\* \*Paper-mounted



Beachplum · WaterGlass\* \*Paper-mounted



ITEM CAN BE PURCHAISED BY THE SHEET



**GLASS MOSAIC** CITY LIGHTS

# BLENDS



# Fiji CL75\*

Composition:	
Papaya	30%
Kiwi	25%
Pear	25%
Spring	20%


\*Paper-mounted

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.




Papaya · Glimmer\* \*Paper-mounted




Pear · Glimmer\*
\*Paper-mounted



Kiwi · Glimmer\* \*Paper-mounted



Spring · WaterGlass\* \*Paper-mounted





GLASS MOSAIC CITY LIGHTS™

# FIJII CL75



# Please Note:

Anti-slip Floor Finish, Sicisgrip, available by special order only, standard finish not appropriate for outdoor floor use.

SICIS



Please Note: Anti-slip Floor Finish, Sicisgrip, available by special order only, standard finish not appropriate for outdoor floor use.



GLASS MOSAIC



# BLENDS



## Rio CL73\*\*

Composition:	
Horizon	50%
Mud	30%
Earth	20%

**\*\*Mesh-mounted** 

In dry environment cementitious adhesive and grouting mortar can be used. This item can be used submerged in wet or humid areas. Only with epoxy adhesive and epoxy grouting. All the technical specifications are contained in the Installation Manual on our website and at your disposal.

> Suitable for interior and exterior applications in freezing & non-freezing climates, when proper installation methods are followed.



# **GLASS MOSAIC** CITY LIGHTS

ITEM CAN BE PURCHAISED BY THE SHEET


**Chip size** 0 <sup>5/8</sup>″ x 0 <sup>5/8</sup>″ Sheet size 11 <sup>5/8</sup>" x 11 <sup>5/8</sup>" Thickness 1/8″



IMAGINE WHAT'S POSSIBLE




Mud · Natural\* \*Paper-mounted



Horizon · Natural\* \*Paper-mounted

Earth · Natural\*

\*Paper-mounted



# TECHNICAL INFORMATION

# COMMERCIAL USAGE

APPLICATION		INTERIOF	R	EXTE	RIOR
	Residential	Light Commercial	Commercial	Residential	Commercial
Floors	$\checkmark$	✓*		5	UID
Walls/Backsplashes	$\checkmark$	~	×	-	~
Countertops	$\checkmark$	~			
Pool Decking					
Pool Lining	~	$\checkmark$		~	~

Suitable in freezing and non-freezing climates when proper installation methods are followed. Not for use on shower floors.

\*Office building restroom floors and hotel baths only

# RESIDENTIAL USAGE

APPLICATIO	N			
Floors	Walls	Countertops	Exterior Patios	Exterior Pool Decks
F	W	С	Ø	

### TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 250 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant
Dynamic C.O.F.	A137.1	Wet: ≥ 0.42
Abrasion Resistance	ASTM-C1027	4

### INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
1/8"	1/16" Approximately	Random (V4)

### NOTES

Paper-face and mesh-mounted installation instructions are included in carton.

Strong random shading enhances the beauty of this product. To achieve optimal results, tile should be selected from multiple cartons and shading arrangement planned prior to installation.

Since there are variations in all fired ceramic products, the tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

Water, oil, grease etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.







For more information about Daltile products and services visit our website @ DALTILE.COM or contact your local Daltile Representative

©2015 DAL-TILE CORPORATION | 7834 C.F. HAWN FREEWAY | DALLAS, TX 75217 | 800.933.TILE