

Revision date 19-Dec-2019

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

## 1. Identification

#### 1.1. Product Identifier

Product Name DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL D145

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Grout.

Uses advised against No information available

#### 1.3. Details of the supplier of the safety data sheet

### **Responsible Party**

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

## 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

## 2.2. Label Elements

## **EMERGENCY OVERVIEW**

Appearance viscous Physical State Solid Odor Solvent

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

Not applicable

**Precautionary Statements - Disposal** 

Not applicable

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

\_\_\_\_\_\_

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown acute toxicity**

21 % of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3. Other Information

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	40 - 70
Glass, oxide, chemicals	65997-17-3	5 - 10
Titanium dioxide	13463-67-7	0.1 - 1
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]-	2897-60-1	0.1 - 1

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

**Eye contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show

this container or label.

**Self-protection of the first aider**Use personal protective equipment as required.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

\_\_\_\_\_

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

#### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides.

**Explosion Data** 

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

### 5.3. Advice for firefighters

## Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Stop leak if you can do it without risk. Do

not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

6.2. Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

## 6.3. Methods and material for containment and cleaning up

Methods for containment Cover with plastic sheet to prevent spreading. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Soak up with inert absorbent

material. Take up mechanically, placing in appropriate containers for disposal. Clean

contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

#### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Wash contaminated

Revision date 19-Dec-2019

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep in properly labeled containers. Keep container

tightly closed in a dry and well-ventilated place. Keep from freezing.

Incompatible materials None known based on information supplied.

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

**Exposure Guidelines** 

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³ TWA: 50	TWA: 0.025 mg/m <sup>3</sup>
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	
		TWA: 0.05 mg/m <sup>3</sup>	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
<u> </u>			TWA respirable fraction	T1444 4 611 / 2
Glass, oxide, chemicals	TWA: 1 fiber/cm3	-	-	TWA: 1 fiber/cm3
65997-17-3	respirable fibers: length >5			TWA: 5 mg/m <sup>3</sup>
	μm, aspect ratio >=3:1, as			
	determined by the membrane filter method at			
	400-450X magnification			
	[4-mm objective], using			
	phase-contrast illumination			
	TWA: 5 mg/m <sup>3</sup> inhalable			
	particulate matter			
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 2.4 mg/m <sup>3</sup> CIB 63		
10.000.		fine		
		TWA: 0.3 mg/m <sup>3</sup> CIB 63		
		ultrafine, including		
		engineered nanoscale		

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>

#### DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

14808-60-7				
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm3 TWA: 5 mg/m <sup>3</sup>	TWA: 1 fiber/cm3	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>

#### 8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Respiratory protection

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

Revision date 19-Dec-2019

required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Wash

hands thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance viscous
Color Cream
Odor Solvent

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable .

Melting point / freezing point

Boiling point / boiling range Not applicable .

Not applicable .

Flash point Not applicable . °C / > 199 °F

**Evaporation rate** Not applicable .

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity Not applicable .

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

\_\_\_\_\_\_

Dynamic viscosity Not applicable .

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening Point Not relevant

Molecular weight No information available Solvent content (%) No information available

Solid content (%)

Density 14.800 LB/GAL

VOC Content (%) 35.0 g/L

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

#### 10.5. Incompatible materials

None known based on information supplied.

## 10.6. Hazardous decomposition products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7			
Glass, oxide, chemicals	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rattus) 4-Hr
65997-17-3			
Titanium dioxide	>10000 mg/kg (Rattus)	-	-

#### DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

13463-67-7			
Silane,	LD50 (Rat, males): > 2.000 mg/kg	LD 50 Rat, males): > 2.000 mg/kg	-
diethoxymethyl[3-(oxiranylmethoxy)		(OECD 402)	
propyl]-			
2897-60-1			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Skin corrosion/irritation No information available. No information available. Serious eye damage/eye irritation No information available. Irritation Corrosivity No information available. Sensitization No information available. Germ cell mutagenicity No information available. No information available. Reproductive toxicity **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure STOT - repeated exposure No information available. No information available. **Chronic Toxicity** No information available. **Target organ effects** No information available. Aspiration hazard No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Revision date 19-Dec-2019

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Glass, oxide, chemicals 65997-17-3	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

No information available

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Silane,	EC 50 (Daphnia magna, 48	LC 50 (Rainbow Trout, 96 h):		
diethoxymethyl[3-(oxiranylm	h): 20 mg/l (OECD Test	180 mg/l (OECD-Guideline		
ethoxy)propyl]-	Guideline 202)	203 (, Acute Toxicity Test))		

#### DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

2897-60-1

#### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

There is no data for this product.

#### 12.4. Mobility in soil

No information available.

#### Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

Revision date 19-Dec-2019

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

## **Section 14: TRANSPORT INFORMATION**

**Note:** Keep from freezing

DOT Not regulated

IATA Not regulated

IMDG Not regulated

## Section 15: REGULATORY INFORMATION

#### **Global Inventories**

TSCA	Listed
DSL	Not Listed

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

## **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

DALTILE(R) REVO-TILE RAPID GROUT HIGHLAND PEARL

D145

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

\_\_\_\_\_

#### SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

## **Europe**

## Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

## **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 19-Dec-2019

Revision note Not applicable.

Training Advice No information available

Further information No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**