

**DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283**  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

## 1. Identification

### 1.1. Product Identifier

**Product Name** DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN D283

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Grout.  
**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

#### Responsible Party

Bostik Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1 (800) 843-0844 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)  
Fax: +1 (414) 774-8075

E-mail msds@bostik.com

### 1.4. Emergency telephone number

Telephone: 1-800-227-0332  
(Outside U.S.) 1-703-527-3887

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

### 2.2. Label Elements

#### EMERGENCY OVERVIEW

<b>Appearance</b> viscous	<b>Physical State</b> Solid	<b>Odor</b> Solvent
---------------------------	-----------------------------	---------------------

#### Precautionary Statements - Prevention

Not applicable

#### Precautionary Statements - Response

Not applicable

#### Precautionary Statements - Storage

Not applicable

#### Precautionary Statements - Disposal

Not applicable

# SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

## Hazards not otherwise classified (HNOC)

Not applicable

## Unknown acute toxicity

21 % of the mixture consists of ingredient(s) of unknown toxicity

## 2.3. Other Information

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	40 - 70
Glass, oxide, chemicals	65997-17-3	5 - 10
Titanium dioxide	13463-67-7	0.1 - 1
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]-	2897-60-1	0.1 - 1

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a physician.
<b>Ingestion</b>	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.
<b>Self-protection of the first aider</b>	Use personal protective equipment as required.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

### 4.4. Reference to Other Sections

**Reference to other sections** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

## 5.1. Extinguishing media

### **Suitable extinguishing media**

Use extinguishing agent suitable for type of surrounding fire.

### **Unsuitable extinguishing media**

None known.

## 5.2. Special hazards arising from the substance or mixture

### **Specific hazards arising from the chemical**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Hazardous combustion products** Carbon oxides.

### **Explosion Data**

**Sensitivity to mechanical impact**

None.

**Sensitivity to static discharge**

None.

## 5.3. Advice for firefighters

### **Special protective actions for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Use personal protective equipment as required. Stop leak if you can do it without risk. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

### 6.2. Environmental precautions

#### **Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

#### **Methods for containment**

Cover with plastic sheet to prevent spreading. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### **Methods for cleaning up**

Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

#### **Reference to other sections**

Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## **Section 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

# SAFETY DATA SHEET

**DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN**  
**D283**  
**Revision Number 1**

**Revision date** 19-Dec-2019  
**Supersedes Date:** 19-Dec-2019

**Advice on safe handling** Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep out of the reach of children. Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. Keep from freezing.

**Incompatible materials** None known based on information supplied.

**7.3. Specific end use(s)**

**Other information** No information available.

**7.4. References to Other Sections**

**Reference to other sections** Section 13: DISPOSAL CONSIDERATIONS  
 Section 10: STABILITY AND REACTIVITY

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Exposure Guidelines** . This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	IDLH: 50 mg/m <sup>3</sup> respirable dust  TWA: 0.05 mg/m <sup>3</sup> respirable dust	TWA: 50 µg/m <sup>3</sup> TWA: 50 µg/m <sup>3</sup> excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : : (250)/( %SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : : (10)/( %SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm <sup>3</sup> respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m <sup>3</sup> inhalable particulate matter	-	-	TWA: 1 fiber/cm <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine, including engineered nanoscale	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>

# SAFETY DATA SHEET

**DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283**  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

14808-60-7				
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm3 TWA: 5 mg/m <sup>3</sup>	TWA: 1 fiber/cm3	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>

## 8.2. Exposure controls

### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Personal protective equipment [PPE]

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin and body protection

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

#### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### General hygiene considerations

Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Wash hands thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Solid
<b>Appearance</b>	viscous
<b>Color</b>	Brown
<b>Odor</b>	Solvent
<b>Odor threshold</b>	No information available

#### Property

#### Values

#### Remarks • Method

<b>pH</b>	No information available	
<b>Melting point / freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	No data available	
<b>Flash point</b>	> 93.3 °C / > 200 °F	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>	No information available	
<b>Lower flammability or explosive limits</b>	No information available	
<b>Vapor pressure</b>	No information available	
<b>Vapor density</b>	No information available	
<b>Relative density</b>	No information available	
<b>Water solubility</b>	No information available	
<b>Solubility in Other Solvents</b>		
<b>Partition coefficient</b>	No information available	
<b>Autoignition temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Kinematic viscosity</b>	No information available	

# SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

Dynamic viscosity No information available  
Explosive properties No information available  
Oxidizing properties No information available

## 9.2. Other information

Softening Point Not relevant  
Molecular weight No information available  
Solvent content (%) No information available  
Solid content (%) No information available  
Density 1.74 g/cm<sup>3</sup>  
VOC Content (%) 35.0 g/L

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

### 10.5. Incompatible materials

None known based on information supplied.

### 10.6. Hazardous decomposition products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

**Product Information** No data available  
**Inhalation** Based on available data, the classification criteria are not met.  
**Eye contact** Based on available data, the classification criteria are not met.  
**Skin contact** Based on available data, the classification criteria are not met.  
**Ingestion** Based on available data, the classification criteria are not met.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)	-	-
Glass, oxide, chemicals 65997-17-3	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rattus) 4-Hr
Titanium dioxide	>10000 mg/kg (Rattus)	-	-

# SAFETY DATA SHEET

**DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283**  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

13463-67-7			
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]- 2897-60-1	LD50 (Rat, males): > 2.000 mg/kg	LD 50 Rat, males): > 2.000 mg/kg (OECD 402)	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Symptoms</b>	No information available.
<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Irritation</b>	No information available.
<b>Corrosivity</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>Developmental toxicity</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic Toxicity</b>	No information available.
<b>Target organ effects</b>	No information available.
<b>Aspiration hazard</b>	No information available.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Glass, oxide, chemicals 65997-17-3	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)  
*A2 - Suspected Human Carcinogen*  
 IARC (International Agency for Research on Cancer)  
*Group 1 - Carcinogenic to Humans*  
*Group 2B - Possibly Carcinogenic to Humans*  
*Group 3 - Not Classifiable as to Carcinogenicity in Humans*  
 NTP (National Toxicology Program)  
*Known - Known Carcinogen*  
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
*X - Present*

**Section 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

No information available

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]-	EC 50 (Daphnia magna, 48 h): 20 mg/l (OECD Test Guideline 202)	LC 50 (Rainbow Trout, 96 h): 180 mg/l (OECD-Guideline 203 (, Acute Toxicity Test))		

# SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

2897-60-1				
-----------	--	--	--	--

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

There is no data for this product.

## 12.4. Mobility in soil

No information available.

## Other adverse effects

No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

#### **Disposal of Wastes**

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

#### **Contaminated packaging**

Dispose of in accordance with federal, state and local regulations

## **Section 14: TRANSPORT INFORMATION**

**Note:** Keep from freezing

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

## **Section 15: REGULATORY INFORMATION**

### Global Inventories

<b>TSCA</b>	Listed
<b>DSL</b>	Not Listed

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

### United States of America

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



# SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT PEWTER BROWN  
D283  
Revision Number 1

Revision date 19-Dec-2019  
Supersedes Date: 19-Dec-2019

## **SARA 311/312 Hazard Categories**

Classification is shown in section 2 of this SDS

## **Europe**

### **Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU**

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **Section 16: OTHER INFORMATION**

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

No information available

### **Key Literature References and Sources for Data**

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 19-Dec-2019

**Revision note** Not applicable.

**Training Advice** No information available

**Further information** No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**