

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197 Revision Number 1

Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

1. Identification

1.1. Product Identifier

Product Name DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Grout.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance viscous Physical State Solid Odor Odorless

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity

18 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

| Chemical name | CAS No. | Weight-% |
|--|------------|----------|
| Quartz | 14808-60-7 | 40 - 70 |
| Glass, oxide, chemicals | 65997-17-3 | 5 - 10 |
| Titanium dioxide | 13463-67-7 | 0.1 - 1 |
| Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]- | 2897-60-1 | 0.1 - 1 |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show

this container or label.

Self-protection of the first aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides.

Explosion Data

Sensitivity to mechanical impact Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Cover with plastic sheet to prevent spreading. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Soak up with inert absorbent

material. Take up mechanically, placing in appropriate containers for disposal. Clean

contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Wash contaminated

Revision date 19-Dec-2019

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep in properly labeled containers. Keep container

tightly closed in a dry and well-ventilated place. Keep from freezing.

Incompatible materialsNone known based on information supplied.

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure GuidelinesThis product contains substances which in their raw state are powder form, however in their raw state are powder form, however in the product the produ

this product they are in a non-respirable form. Inhalation of powder/dust particles is

unlikely to occur from exposure to this product.

| Chemical name | ACGIH TLV | NIOSH IDLH | OSHA PEL | Mexico |
|---------------------------------------|---|---|---|----------------------------------|
| Quartz 14808-60-7 | TWA: 0.025 mg/m³ respirable particulate matter | IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust | TWA: 50 µg/m³ TWA: 50 µg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction | TWA: 0.025 mg/m ³ |
| Glass, oxide, chemicals 65997-17-3 | TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable particulate matter | - | - | TWA: 1 fiber/cm3 TWA: 5 mg/m³ |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ | IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale | TWA: 15 mg/m³ total dust | TWA: 10 mg/m³ |

| Chemical name | Argentina | Brazil | Chile | Venezuela |
|-------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|
| Quartz | TWA: 0.05 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.08 mg/m ³ | TWA: 0.025 mg/m ³ |
| 14808-60-7 | _ | _ | _ | _ |
| Glass, oxide, chemicals | TWA: 1 fiber/cm3 | TWA: 1 fiber/cm3 | - | - |

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

| 65997-17-3 | TWA: 5 mg/m ³ | | | |
|------------------|---------------------------|---------------------------|---|---------------------------|
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | = | TWA: 10 mg/m ³ |
| 13403-07-7 | | | | |

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Respiratory protection

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision date 19-Dec-2019

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Wash

hands thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance viscous
Color Brown
Odor Odorless
Odor threshold Not applicable

Property Values Remarks • Method

pH 8.1

Melting point / freezing point

Boiling point / boiling range

Not applicable .

Not applicable .

Flash point $> 100 \, ^{\circ}\text{C} \, / > 212 \, ^{\circ}\text{F}$

Evaporation rate Not applicable .

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity Not applicable .

Dynamic viscosity Not applicable .

Explosive propertiesNo information available

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

Oxidizing properties No information available

9.2. Other information

Softening Point Not relevant

Molecular weightNo information availableSolvent content (%)No information availableSolid content (%)No information available

Density 1.750 g/cm³

VOC Content (%) 35 g/L / 2.0 %

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|----------------------------------|----------------------------------|---------------------------------|
| Quartz | >2000 mg/kg (Rattus) | - | - |
| 14808-60-7 | | | |
| Glass, oxide, chemicals | >2000 mg/Kg Rat | - | LC50 > 0.691 mg/l (Rattus) 4-Hr |
| 65997-17-3 | | | |
| Titanium dioxide | >10000 mg/kg (Rattus) | - | - |
| 13463-67-7 | | | |
| Silane, | LD50 (Rat, males): > 2.000 mg/kg | LD 50 Rat, males): > 2.000 mg/kg | - |
| diethoxymethyl[3-(oxiranylmethoxy) | | (OECD 402) | |
| propyl]- | | | |
| 2897-60-1 | | | |

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Revision date 19-Dec-2019

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. **Symptoms** No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. No information available. Irritation Corrosivity No information available. Sensitization No information available. No information available. Germ cell mutagenicity Reproductive toxicity No information available. **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure STOT - repeated exposure No information available. No information available. **Chronic Toxicity** No information available. **Target organ effects** No information available. **Aspiration hazard** No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-------------------------|-------|----------|-------|------|
| Quartz | A2 | Group 1 | Known | X |
| 14808-60-7 | | | | |
| Glass, oxide, chemicals | - | Group 3 | - | - |
| 65997-17-3 | | · | | |
| Titanium dioxide | - | Group 2B | - | X |
| 13463-67-7 | | · · | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|-----------------------------|--------------------------|------------------------------|----------------|-----------|
| | | | Microorganisms | |
| Silane, | EC 50 (Daphnia magna, 48 | LC 50 (Rainbow Trout, 96 h): | | |
| diethoxymethyl[3-(oxiranylm | h): 20 mg/l (OECD Test | 180 mg/l (OECD-Guideline | | |
| ethoxy)propyl]- | Guideline 202) | 203 (, Acute Toxicity Test)) | | |
| 2897-60-1 | ĺ | ' | | |

12.2. Persistence and degradability

No information available.

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

12.3. Bioaccumulative potential

There is no data for this product.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of WastesIt is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

Revision date 19-Dec-2019

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

Note: Keep from freezing

DOT Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

| TSCA | Listed |
|------|------------|
| DSL | Not Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Revision date 19-Dec-2019

DALTILE(R) REVO-TILE RAPID GROUT SAND DUNE D197

Revision Number 1 Supersedes Date: 19-Dec-2019

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 19-Dec-2019

Revision note Not applicable.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet