

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

1. Identification

1.1. Product Identifier

Product Name DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Grout.
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

2.2. Label Elements

EMERGENCY OVERVIEW

Appearance viscous	Physical State Solid	Odor Solvent
---------------------------	-----------------------------	---------------------

Precautionary Statements - Prevention
Not applicable

Precautionary Statements - Response
Not applicable

Precautionary Statements - Storage
Not applicable

Precautionary Statements - Disposal
Not applicable

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

Hazards not otherwise classified (HNOC)
Not applicable

Unknown acute toxicity
17 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	40 - 70
Glass, oxide, chemicals	65997-17-3	5 - 10
Titanium dioxide	13463-67-7	0.1 - 1
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]-	2897-60-1	0.1 - 1

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides.

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Stop leak if you can do it without risk. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Cover with plastic sheet to prevent spreading. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

contact with skin and eyes. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. Keep from freezing.

Incompatible materials None known based on information supplied.

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS
 Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines . This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust	TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	TWA: 0.025 mg/m ³
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm ³ respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m ³ inhalable particulate matter	-	-	TWA: 1 fiber/cm ³ TWA: 5 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm ³ TWA: 5 mg/m ³	TWA: 1 fiber/cm ³	-	-
Titanium dioxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

13463-67-7			
------------	--	--	--

8.2. Exposure controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Personal protective equipment [PPE]

Eye/face protection Wear safety glasses with side shields (or goggles).
Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Wash hands thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	viscous
Color	White
Odor	Solvent
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	Not applicable .	
Boiling point / boiling range	Not applicable .	
Flash point	> 93 °C / > 200 °F	
Evaporation rate	Not applicable .	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	No information available	
Solubility in Other Solvents		
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	Not applicable .	
Dynamic viscosity	Not applicable .	
Explosive properties	No information available	
Oxidizing properties	No information available	

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

9.2. Other information

Softening Point	Not relevant	
Molecular weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	87	
Density	14.800 LB/GAL	
VOC Content (%)		35.0 g/L

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)	-	-
Glass, oxide, chemicals 65997-17-3	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rattus) 4-Hr
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	-	-
Silane, diethoxymethyl[3-(oxiranylmethoxy) propyl]- 2897-60-1	LD50 (Rat, males): > 2.000 mg/kg	LD 50 Rat, males): > 2.000 mg/kg (OECD 402)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

Symptoms	No information available.
Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
Developmental toxicity	No information available.
Teratogenicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No information available.
Target organ effects	No information available.
Aspiration hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Glass, oxide, chemicals 65997-17-3	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
 IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
 NTP (National Toxicology Program)
Known - Known Carcinogen
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Silane, diethoxymethyl[3-(oxiranylmethoxy)propyl]- 2897-60-1	EC 50 (Daphnia magna, 48 h): 20 mg/l (OECD Test Guideline 202)	LC 50 (Rainbow Trout, 96 h): 180 mg/l (OECD-Guideline 203 (, Acute Toxicity Test))		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

There is no data for this product.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated packaging

Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

Note: Keep from freezing

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3),

SAFETY DATA SHEET

DALTILE(R) REVO-TILE RAPID GROUT ULTRA WHITE D152
Revision Number 1

Revision date 19-Dec-2019
Supersedes Date: 19-Dec-2019

Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 19-Dec-2019

Revision note Not applicable.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet