

DECORATIVE

FASHION ACCENTS™

STONE, GLASS & METAL ACCENTS





Defining Details Made Easy

The details and finishing touches are what complete a project. Round out your design with versatile and personality-infusing Fashion Accents—a collection of decorative tile in glass, metal, stone, and ceramic. Each series in this collection offers unique shapes and harmonized blends to spruce up walls and backsplashes.

ALL THE TRIMS IN ONE PLACE

- Find varied accents and trims all in one collection
- Browse unique shapes and blends that suit designs from contemporary to classic

• VERSATILE APPLICATIONS

- Mosaics and trims in stone, glass, metal, and ceramic
- Beautiful neutral colors that take tile installations to the next level

USAGE

Floors Walls Countertops





STONE, GLASS & METAL ACCENTS

STONE COMBINATION SERIES

MODULE



FA01 MODULE CARRARA WHITE 2" x 11" Decorative Accent Polished

FA02 MODULE CHENILLE WHITE 2" x 11" Decorative Accent Polished

TWISTED ROPE



FA04 TWISTED ROPE WHITE 2-1/4" x 12" Decorative Accent

XXXX

FA03 TWISTED ROPE BEIGE 2-1/4" x 12" Decorative Accent

SCALLOPED



FA11 SCALLOPED WHITE 3" x 13-1/4" Decorative Accent



FA10 SCALLOPED BEIGE 3" x 13-1/4" Decorative Accent

ALMOND EYE



FA13 ALMOND EYE WHITE 3-1/2" x 12-1/2" Decorative Accent

)0000

FA12 ALMOND EYE BEIGE 3-1/2" x 12-1/2" Decorative Accent

FRAMED BAROQUE ACCENT



FA05 FRAMED BAROQUE ACCENT 2" x 11" Decorative Accent

LATTICE



F006 LATTICE 4" x 12" Decorative Accent Honed

BURNISHED



FA09 BURNISHED MIX 4" x 11" Decorative Accent Honed



FA09 BURNISHED TUMBLED LIGHT 2" x 12" Decorative Accent



FA09 BURNISHED TUMBLED DARK 2" x 12" Decorative Accent

PEBBLES



F018 BROWN PEBBLE 12" x 12" Decorative Accent



F017 BLACK PEBBLE 12" x 12" Decorative Accent

STONE, GLASS & METAL ACCENTS

SEMI-GLOSS WITH TUMBLED STONE SERIES



FA51 0190 ARCTIC WHITE TRAVERTINE 4" x 12" Tumbled Stone Listello



FA52 0135 ALMOND NOCE 4" x 12" Tumbled Stone Listello



FA50 0100 WHITE TRAVERTINE 4" x 12" Tumbled Stone Listello



FA52 0204 ALMOND/REEF/NOCE 4" x 11" Listello



FA51 0174 ARCTIC WHITE/LAGOON/TRAVERTINE 4" x 11" Listello

PROVENCIAL SERIES



FA50 0100 IVY 3" x 8" Listello Accent



FA51 0190 IVY 3" x 8" Listello Accent



FA52 0135 IVY 3" x 8" Listello Accent

STONE, GLASS & METAL ACCENTS

SHIMMER SERIES

ILLUMINI



FO11 ILLUMINI LAKE 5/8" x 5/8" Mosaic



F015 ILLUMINI LAKE 5/8" x 3" Random Mosaic



F009 ILLUMINI SAND 5/8" x 5/8" Mosaic




F013 ILLUMINI SAND 5/8" x 3" Random Mosaic



F010 ILLUMINI MEADOW 5/8" x 5/8" Mosaic



F014 ILLUMINI MEADOW 5/8" x 3" Random Mosaic




F012 ILLUMINI UMBER 5/8" x 5/8" Mosaic



F016 ILLUMINI UMBER 5/8" x 3" Random Mosaic

FORTRESS



FA64 NICKEL BLEND 12" x 12" Sheet Fortress Mosaic



FA63 COPPER BLEND 12" x 12" Sheet Fortress Mosaic

BRIX



FA64 NICKEL BLEND 12" x 12" Sheet Brix Mosaic



FA63 COPPER BLEND 12" x 12" Sheet Brix Mosaic

HARLEQUIN



FA64 NICKEL BLEND 12" x 12" Sheet Harlequin Mosaic



FA63 COPPER BLEND 12" x 12" Sheet Harlequin Mosaic

STONE, GLASS & METAL ACCENTS

SLATE RADIANCE SERIES

SA55 FLINT



1" x 1" Mosaic



5/8" x 5/8" Mosaic



1" x Random Mosaic



5/8" x Random Mosaic

SA56 SADDLE



1" x 1" Mosaic



5/8" x 5/8" Mosaic



1" x Random Mosaic



5/8" x Random Mosaic

SA57 CACTUS



1" x 1" Mosaic



5/8" x 5/8" Mosaic



1" x Random Mosaic



5/8" x Random Mosaic

STONE, GLASS & METAL ACCENTS

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
Varies by accent strip	Varies by accent strip	Low (V1) to High (V3)

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of \geq 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest $^{"}$, visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

Suitable for use in wet areas such as shower walls.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards

For additional information refer to "Factors to Consider" at: daltile.com/Factors.

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.2 standards.

Use of a white latex modified thin-set is recommended for installation.

