

DECORATIVE

GLASS HORIZONS™

GLASS MOSAICS featuring OCEANSIDE GLASSTILE®





Transform Your Space With Tranquil Colors and Sophisticated Styling Options Glass Horizons[™] invokes a sense of calming beauty and sophistication. Its color pallet was inspired by the open ocean and beautiful sunsets. These glass mosaics feature a soothing color palette with a shimmering touch of iridescence. With unique sizes and sculpted liners you're free to create the look you desire.

- COORDINATING SOLIDS AND BLENDS
- Transform your space with an array of beautiful coordinating color options that invoke style and a sense of relaxation
- UNIQUE SIZES & ACCENT LINERS
 - Trendy linear mosaics and sculpted accent liners offer style and personality
- · IRIDESCENT GLOW
 - Shimmering iridescent surface creates an elegant glow with a touch of flare
- CONTEMPORARY LOOK AND FEEL
- Create a modern oasis that epitomizes your desire for style



POST-CONSUMER RECYCLED MATERIALS




PRE-CONSUMER RECYCLED MATERIALS



GLASS MOSAICS featuring OCEANSIDE GLASSTILE®

FIELD TILE



WAVES GH01



SEA GLASS GH02



REED GH04



DRIFTWOOD GH06



MOONLIGHT GH07



SKY BLUE GH03



LAGOON GH05



TIDE GH08



BLACK SAND GH09

GLASS MOSAICS featuring OCEANSIDE GLASSTILE®

PEAK LINER



BOX LINER



GLASS MOSAICS featuring OCEANSIDE GLASSTILE®

SOLIDS - 3/4 x RANDOM MOSAIC



WAVES GH01



SEA GLASS GH02



SKY BLUE GH03



REED GH04



LAGOON GH05



DRIFTWOOD GH06



TIDE GH08




MOONLIGHT GH07



BLACK SAND GH09

SOLIDS - 3/4 x 3/4 MOSAIC



WAVES GH01



SEA GLASS GH02



SKY BLUE GH03



RFFD GH04



LAGOON GH05




DRIFTWOOD GH06



TIDE GH08



MOONLIGHT GH07



BLACK SAND GH09

GLASS MOSAICS featuring OCEANSIDE GLASSTILE®

BLENDS - 3/4 x RANDOM MOSAIC



ATLANTIC BLEND GH11



ARCTIC BLEND GH15



CARIBBEAN BLEND GH10



MEDITERRANEAN BLEND GH12



CASPIAN BLEND GH13



PACIFIC BLEND GH14



BALTIC BLEND GH16

BLENDS - 3/4 x 3/4 MOSAIC




ATLANTIC BLEND GH11



ARCTIC BLEND GH15



CARIBBEAN BLEND GH10



MEDITERRANEAN BLEND GH12



CASPIAN BLEND GH13



PACIFIC BLEND GH14



BALTIC BLEND GH16

GLASS MOSAICS featuring OCEANSIDE GLASSTILE®

SIZES

		Thickness	Sq. Ft. per Carton	Pieces per Carton
2-1/2 x 7-3/4 Field Tile	(2-1/2" x 7-3/4") (6.40 cm x 19.60 cm)	3/8"		18
3/4 x 8 Peak Liner	(3/4" x 7-3/4") (2.00 cm x 19.60 cm)	3/4"		50
3/4 x 8 Box Liner	(5/8" x 7-3/4") (1.60 cm x 19.60 cm)	5/8"		50
3/4 x 3/4 Mosaic (Paper-face mounted on 12" x 12" Sheet)	(30.60 cm x 30.60 cm	1/4"	10.00	10
3/4 x Random Linear (Paper-face mounted on 12" x 12" Sheet)	(30.60 cm x 30.60 cm	1/4"	10.00	10

FLOOR APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior	N/A	/ *
Wet & Level – Interior	≥ 0.42	
Exterior Applications; Pool Decking & Other Wet Areas with Minimal Footwear	≥ 0.60	
Ramps & Inclines	≥ 0.65	

A DCOF value of \geq 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest $^{"}$, visit daltile.com/DCOF.

OTHER APPLICATIONS

	Suitable
Walls/Backsplashes	~
Countertops	/ **
Pool Linings	✓
Pool Tank / Submerged	√ ***

APPLICATION NOTES:

- * Suitable for use as a decorative accent or border on floors not subject to outside foot traffic (such as hotel bath).
- ** Residential and light commercial use only.
- *** Glass Horizons mosaics are paper-face mounted and are suitable for pool tanks and submerged applications.

Suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

INSTALLATION

Grout Joint Recommendation	Shade Variation (Wall Tile & Mosaics)	
	Medium (V2)	
Wall : 1/8"	to High (V3)	
Mosaics : 1/16"	Shade Variation (Blends)	
	Random (V4)	

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	≥ 350 lbs
Scratch Hardness	MOHS	3.0-6.0
Chemical Resistance	C650	Resistant

NOTES

Strong random shading enhances the natural beauty of this product. To achieve optimal results, tile should be selected from multiple cartons and shading arrangement planned prior to installation.

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.2 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

For additional information refer to "Factors to Consider" at daltile.com/Factors.







