

FROM NATURE CHIC TO CITY SLEEK

With the ONE Quartz Surfaces® assortment, we've brought together the beauty of quartz and modern technology to create new and exciting possibilities. ONE Quartz Surfaces® gives you more design choices for your next project. The low maintenance and durability of ONE Quartz Surfaces® countertops make it perfect for any application, commercial or residential. Functional yet chic, that's what ONE Quartz Surfaces® is all about.

AVAILABLE IN:


Within these categories, you'll have more selection than ever before.

- Marble Look
- Stone Look
- Concrete Look

OHE QUARTZ SURA

Monochromatic Look





Cover Photo features Calacatta Bolt on the countertop & backsplash and Emerson Wood™ Balsam Fir, 8 x 48 on the floor. Above Photo features Outer Banks on the countertop and Acreage™ Highland, 8 x 48 on the floor.


··· EXCELLENT

PROS

Engineered, so has consistent look Tons of colors to choose from



MARBLE LOOK





AMAZONITE GREY OQ95



MARBLE LOOK

AMAZONITE OQ91







LIBERTY BLACK OQ74**



NEW! BLACK CANYON OQ76





NIAGARA OQ32

ARCHES OQ33

STONE LOOK **STONE LOOK** ARGOS OQ63 **NEW!** CORONADO WHITE OQ77 JASMINE WHITE OQ27 KODIAK OQ21 ALPINE WINTER OQ19 CHATEAU OQ87 ROCKY MOUNTAIN OQ34 GOLDEN GATE OQ37 **NEW!** OUTER BANKS OQ68 ASPEN GREY OQ20 NOBLE GREY OQ56** MOONGAZE OQ88

CAPITOL BEIGE OQ57

PULSAR OQ61

WHITE SAND NQ97



STONE LOOK


SIRIUS OQ62







NEW! ACADIA BLACK OQ78*
















CONCRETE LOOK














LUDLOW TAN NQ55**

COLUMBUS BROWN NQ56**

CONCRETE GREY NQ87





MONOCHROMATIC LOOK



CHIPPED ICE NQ91



SIMPLY WHITE NQ76



MORNING FROST NQ30



WHITE ICE NQ90



WOVEN WOOL NQ09



FRESH LINEN NQ66



SIMPLY BEIGE OQ29



SIMPLY GREY OQ30




MESA DUNE NQ89



VORTEX OQ60





BRUSHED FLANNEL NQ60



PRODUCT INFORMATION

Finishes	Nominal Size	Thickness
Polished Honed Leather Lava	DOMESTIC COLORS 136" x 79" SOURCED COLORS Reach out to your local stone center for size details.	2 cm & 3 cm

Custom slab finishes in polished, honed, leather or lava are available by special order. Not all colors available in alternative finishes. Please contact your local slab center for availability.

INSTALLATION

Shade Variation
Medium (V2)

NOTES

ONE Quartz Surfaces products are nonporous, reducing the potential for bacteria growth, resist common food stains and are stronger than natural granite.

ONE Quartz Surfaces products are virtually maintenance free.

ONE Quartz Surfaces products contain natural quartz stone providing consistent color and visual movement. A wide range of color options allow for more design freedom.

ONE Quartz Surfaces products have a durable, scratch-resistant surface

ONE Quartz Surfaces products are heat and scorch-resistant under normal cooking conditions (use of a trivet is recommended for longer or extreme heat exposure).

Twenty-Five year Commercial Limited Warranty.

Visit daltile.com/countertops-product-category/one-quartz or details.

Lifetime Residential Limited Warranty.

Visit daltile.com/countertops-product-category/one-quartz or details.

WARNING: This product can expose you to chemicals known to the State of California to cause cancer, including crystalline Silica (airborne particles of respirable size) in dust created if the product is dry cut/ground/polished or pulverized during fabrication/installation/removal. For more information, go to www.P65Warnings.ca.gov.

For information refer to "Factors to Consider" at daltile.com/Factors.



Twenty Five Year Commercial Limited Warranty, visit daltile. com for complete warranty details.



Lifetime Residential Limited Warranty, visit daltile.com for complete warranty details.*

*Made in the USA with imported material.



MADE IN THE USA WITH IMPORTED MATERIAL.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓
Pool Linings	N/A	

ONE Quartz Surfaces do not meet minimum coefficient of friction thresholds recommended by safety standard-setting organizations. Water, oil, grease, etc., create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection.

APPLICATION NOTES:

Quartz not suitable for exterior applications due to small resin content. The sun will etch the material.

SLAB PERFORMANCE CHARACTERISTICS

	Test Method	Average Result*
Abrasion Wear Index	ASTM C501	≥ 135
Bulk Specific Gravity	ASTM C97	≤ 2500 kg / cubic meter
Chemical Resistance	ASTM C650	Resistant to typical household cleaners
Coefficient of Thermal Expansion	ASTM C531	≤ 4.0 • 10 ⁻⁵ °C ⁻¹
Flexural Strength	ASTM C880	≥ 35 MPa
Water Absorption	ASTM C97	≤ 0.10%
Scratch Resistance (Mohs Hardness)	ASTM C1895	≥5
Stain Resistance	ANSI Z124.6	Pass
Thermal Shock Resistance	ASTM C484	Pass – No Effect

^{*} Custom testing results by color are available upon request.



To See Approved Colors Made In The USA With Imported Material, Please Check The Below Link:

info.nsf.org/Certified/Food/ Listings.asp?Company=C053 6133&Standard=051





To See Approved Colors Made In The USA With Imported Material, Please Check The Below Link:

https://spot.ul.com/main-app/ products/catalog/?keywords= ONE+Quartz+Surfaces

7834 C.F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.

