SLAB porcelain surfaces daltile ELEMENTAL SELECTION | INDUSTRIAL SELECTION | METALLIC SELECTION

INTRODUCING SURFACES LIKE YOU'VE NEVER SEEN THEM BEFORE.

Panoramic Porcelain Surfaces[™] features porcelain that performs and design that delivers for your walls, floors and countertops. This collection offers breathtaking views, stunning visuals and seamless design with no boundaries.

THE POSSIBILITIES: LIMITLESS

With Panoramic Porcelain Surfaces[™], you have a unique opportunity to let your imagination run wild.

If you've ever dreamt of using limestone slab in places limestone should never be used, Panoramic can help you make those dreams come true. Or, if you've ever wished you could bathe a room in marble, now you can create that look at a fraction of the cost.

TARCINE WHAT'S POSSIBLY

Cover photo features Panoramic Porcelain Surfaces Elestial bookmatch on the walls and indoorfloor and Dignitary™ Superior Taupe, 12 X 24 on the outdoor floor.

Above photo features, Panoramic Porcelain Surfaces Zebra Calacatta on the fireplace






















NOT APPLICABLE FOR ALL PRODUCT IN THIS SERIES. SEI CHARTS FOR FULL PRODUCT DETAILS




			RESISTANCE						
	PRICE	STYLE	CHIPS	HEAT	STAIN	SCRATCHES	SEALING REQUIRED	MAINTENANCE	PROS
PANORAMIC PORCELAIN SURFACES"	\$\$						NO	NO	Large size for fewer seams; lighter than other slab materials Great for indoor or outdoor installation Virtually maintenance-free Works on walls, floors & countertops — even outdoors

··· EXCELLENT
·· GOOD
· FAIR



Elevate the ambiance of virtually any space with the sophisticated marble looks within Elemental Selection.

Create drama with striking vein patterns, or infuse tranquility with subtle marbling designs. Large format slabs create fewer grout lines for a more seamless appearance in both glossy and matte finishes. By combining the look of natural stone with the value and ease of porcelain, Elemental Selection reinvents classic décor.





STATUARIO CM03 6mm – Matte & Glossy 12mm – Matte & Glossy



OPALITE CM55 6mm – Matte & Glossy 12mm – Matte & Glossy



BLANC CM05 6mm – Matte 12mm – Matte



GYPSUM CALACATTA CM22 6mm – Matte & Glossy 12mm – Matte & Glossy



NEW! LEMURIAN CM49 6mm – Glossy



CALACATTA CM04 6mm – Matte & Glossy 12mm – Matte & Glossy



MARFIL CM06 6mm – Matte & Glossy 12mm – Matte & Glossy



NEW! SELENITE CM51 6mm – Matte



CALACATTA ARIES CM21 6mm - Glossy 12mm - Matte & Glossy



SMOKED GEODE CM58 6mm – Matte



DIAMOND MINE CM12 6mm – Matte & Glossy 12mm – Matte & Glossy



MOONSTONE CM11 6mm – Matte & Glossy 12mm – Matte & Glossy



WHITE JADE CM56 6mm – Glossy 12mm – Glossy



CALACATTA TOPAZ CM82 6mm – Matte & Glossy 12mm – Glossy



OPAL TRAVERTINE CM84 6mm – Matte





TITANIUM GREY CM13 6mm – Matte & Glossy



JASPER GREY CM81 6mm – Glossy 12mm – Glossy



NEW! ELESTIAL CM48 6mm – Glossy & Satin 12mm – Glossy & Satin



SUNSTONE CM57 6mm – Matte



SAPPHIRE STATUS CM87 6mm – Glossy



IMPERIAL STATUS CM54 6mm - Glossy



ZEBRA CALACATTA CM59 6mm – Glossy 12mm – Glossy



ONYX GALAXY CM14 6mm – Matte & Glossy 12mm – Glossy



ANTHRACITE CM85 6mm – Glossy






INDUSTRIAL SELECTION

Capture a sense of strength and character with Industrial Selection.

Bring the urban chic feel of a downtown gallery or loft to virtually any space with the look of sleek concrete. Large format slabs provide seamless style to more closely mimic the essence of poured concrete while the smooth, matte finish adds a touch of sophistication. Infuse your space with the robust, stoic presence of concrete while enjoying the versatility of porcelain tile with Industrial Selection.



MANOR WHITE CM18 6mm – Matte & Glossy 12mm – Matte & Glossy




BELMONT TERRACE CM07 6mm - Matte




STONEWALL COAL CM09 6mm – Matte 12mm – Matte



CINDER RAIL CM17 6mm – Matte



CHARRED NICKEL CM16 6mm – Matte



HEARTH SMOKE CM08 6mm – Matte 12mm – Matte

UNREFINED URBAN GLAMOUR SELECTION de META


Dazzle with the glitz and glam of the Metallic Selection.

Dripping with design and opulence, the reflective, iridescent metallic sheen encompassed on these sleek slabs takes fashion to new heights. The unrefined essence of concrete enhanced with mixed metals is provided on a scale only large format porcelain slabs can reach. Experience glimmering style with Metallic Selection.





BRASS CM86 6mm – Matte



CHROMIUM CM19 6mm – Matte



OBSIDIAN CM20 6mm – Matte



SLAB FACE - BOOK MATCHED APPLICATION

ELEMENTAL SELECTION SKUS

STATUARIO CM03



6mm – Matte & Glossy 12mm – Matte & Glossy

CALACATTA CM04



12mm - Matte & Glossy

DIAMOND MINE CM12



12mm – Matte & Glossy

CALACATTA TOPAZ CM82



12mm - Matte

NEW! LEMURIAN CM49



6mm - Glossy

OPALITE CM55



6mm – Matte & Glossy 12mm – Matte & Glossy

GYPSUM CALACATTA CM22



12mm - Matte & Glossy

CALACATTA ARIES CM21



6mm - Glossy 12mm – Matte & Glossy

NEW! ELESTIAL CM48



12mm – Glossy & Satin

SAPPHIRE STATUS CM87



6mm – Glossy

IMPERIAL STATUS CM54



6mm - Glossy

ZEBRA CALACATTA CM59



6mm – Glossy 12mm - Glossy

ANTHRACITE CM85



6mm - Glossy



SIZES

Nominal Size		Thickness	Sq. Ft./ Slab
	63" x 126" Slab	6 mm	55.00
	64" x 127" Slab	12 mm	56.00
	48" x 96" Slab*	6 mm	32.00

^{*} Available in CM03, CM12, CM22, CM49, CM51 and CM55.

FLEXFIT [™] SIZE SOLUTIONS § 0 §				
Standard FlexFit Sizes+	Actual Size	Thickness		
	62" x 62"	6 mm or 12 mm		
	31" x 124"	6 mm or 12 mm		
	31" x 62"	6 mm or 12 mm		
	15-1/2" x 62"	6 mm or 12 mm		
	31" x 31"	6 mm or 12 mm		
	15-1/2" x 31"	6 mm or 12 mm		
	20-1/2" x 20-1/2"	6 mm or 12 mm		

PLUS - DREAM IT, DESIGN IT, WE CAN DO IT!

WITH OUR CUSTOM CUT TO SIZE PROGRAM

Request your quick quote: customquote@daltile.com

APPLICATIONS

Target DCOF wet	Suitable
N/A	✓
≥ 0.42	√ *
≥ 0.42	
≥ 0.60	
≥ 0.65	
N/A	✓
N/A	√ **
N/A	✓
	DCOF wet N/A ≥ 0.42 ≥ 0.42 ≥ 0.60 ≥ 0.65 N/A N/A

A DCOF value of \geq 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest", visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

- * Matte and Satin finish only.
- ** Applies to 12 mm thickness only.

INSTALLATION

Grout Joint Recommendation	Shade Variation			
1/8"	Medium (V2): Industrial Selection Metallic Selection			
	High (V3): Elemental Selection			

NOTES

Special consideration must be given when installing tiles greater than 15 inches. Please refer to ANSI A108.19 standards for Gauged Porcelain Slabs for more information.

Use of an LFT (Large Format Tile) mortar is required. Thin-set mortars are not suitable for Panoramic Porcelain Surfaces.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual panels and trim and not from product samples or color reproductions.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

WARNING: This product can expose you to chemicals known to the State of California to cause cancer, including crystalline Silica (airborne particles of respirable size) in dust created if the product is dry cut/ground/polished or pulverized during fabrication/installation/removal. For more information, go to www.P65Warnings.ca.gov.

For additional information refer to "Factors to Consider" at daltile.com/Factors. Refer to Safety Data Sheet for additional safety information.



Five Year Commercial Limited Warranty, visit daltile.com for complete warranty details.



Twenty Five Year Residential Limited Warranty, visit daltile.com for complete warranty details.

Dal-Tile | 7834 C.F. Hawn Freeway Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.



⁺ Please allow 3-4 weeks for processing & shipping FlexFit™ standard sizes.