

COLORBODY™ PORCELAIN STONEWARE

TRUEDGE™ | REVEAL IMAGING® | STEPWISE™*





MODERN FORMATION[™]

MODERN FORMATION™ by Marazzi draws inspiration from the authentic appeal of natural limestone, featured in six uniquely different visuals achieved through Reveal Imaging® printing. The contrast of these colors and styles are offered in large format sizes and available in unpolished and light polished finishes to create dynamic spaces. The collection also features a textured structure with StepWise™* technology that provides superior slip resistance. A bold mixed chevron mosaic and a 2x2 mosaic complete the look.







SLIP-RESISTANT TECHNOLOGY

Provides a Dynamic Coefficient of Friction (DCOF) that is among the highest in the industry

BUILT-IN DURABILTY

StepWise™ technology is infused into the tile and will not wear off

INNOVATIVE DESIGN

ology Revolutionary technology
e tile allows for a wider array of
off applications in commercial
and residential spaces

*StepWise™ available in 12 x 24 Textured finish only †When compared to tile meeting ANSI Standards

ODERN FORMATION™

COLORBODY™ PORCELAIN STONEWARE

TRUEDGE™ | REVEAL IMAGING® | STEPWISE™*

ODERN FORMAT

COLORBODY™ PORCELAIN STONEWARE

TRUEDGE™ | REVEAL IMAGING® | STEPWISE™

FLOOR TILE - AVAILABLE IN LIGHT POLISHED, UNPOLISHED & TEXTURED*







MF02 Overland Beige MF03 Canyon Taupe





MF05 Smoky Ridge

MF06 Mesa Point

MIXED CHEVRON MOSAIC** 12 x 13 SHEET



MF04 Headland Fog

MF01 Peak White











*StepWise™ available in 12 x 24 Textured finish only

**Mixed Chevron Mosaic is a mix of Light Polished, Unpolished, & Textured finishes

2 x 2 MOSAIC - UNPOLISHED 12 x 12 SHEET



MF01 Peak White MF02 Overland Beige MF03 Canyon Taupe MF04 Headland Fog MF05 Smoky Ridge MF06 Mesa Point

12 x 24 - TEXTURED WITH STEPWISE™ TECHNOLOGY*



MF01 Peak White MF02 Overland Beige MF03 Canyon Taupe MF04 Headland Fog MF05 Smoky Ridge MF06 Mesa Point

MF01 Peak White

USAGE

Floors	Walls	Countertops
F	W	С

MF01 Peak White

		Thickness	Sq. Ft./ Carton	Pieces/ Carton
24 x 48 Floor Tile	(23-7/16" x 46-7/8") (59.44 cm x 119.30 cm)	3/8"	15.26	2
24 x 24 Floor Tile	(23-7/16" x 23-7/16") (59.44 cm x 59.44 cm)	3/8"	15.2	4
12 x 24‡ Floor Tile	(11-11/16" x 23-7/16") (29.56 cm x 59.44 cm)	3/8"	15.12	8
2 x 2 Mosaic - Unpolished (Mesh-mounted) (12" x 12") (30.48 cm x 30.48 cm)		3/8"	10	10
Mixed Chevron Mosaic [®] (Mesh-mounted)	(12" x 13") (30.48 cm x 33.02 cm)	3/8"	9.3	10

‡Also available in	Textured f	finish with	StepWise™	technology
--------------------	------------	-------------	-----------	------------

^{*}Available in a mix of Light Polished, Unpolished & Textured finishes

APPLICATIONS

SIZES

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	
Wet & Level - Interior Floor	≥ 0.42	•
Shower Floors (Residential or Light Commercial)	≥ 0.42	■^
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	■*
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	
Countertops	N/A	
Pool Linings	N/A	— ^

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For A137.1 standards. more information about DCOF and the DCOF AcuTest", visit marazzitile.com/DCOF.

Suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

- *Unpolished and Textured only
- ▲2 x 2 Mosaics only
- *12 x 24 Textured with StepWise™ only









Pre-Consumer Recycled Content

TruEdge[®]







All or select items within this series meet the requirements for these qualifications. For more information visit marazzitile.com.

TRIM

/	Description	Number	Size	Shape
	Floor Bullnose	P-43F9	3 x 24*	
	Cove Base	P-36C9T	6 x 12	
	Cove Base Outcorner	PC-36C9T	1 x 6	

^{*}Available in Unpolished and Light Polished

Floor bullnose, cove base, and cove base outcorner trim are intended to coordinate with floor tile in the standard 90-degree installation position.

Cove base and cove base outcorner are suitable for non-freezing climates only.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" (3/16" when multiple sizes are installed in a modular pattern, and/or when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.)	V3 High (V3)

PERFORMANCE CHARACTERISTICS

	ASTM#	Floor/Mosaic Result	
Water Absorption	C373	< 0.5%	
Breaking Strength	C648	> 275 lbs	
Scratch Hardness	MOHS	8.0	
Chemical Resistance	C650	Resistant	
E LES LA CONTRACTOR DE			

For additional information on test results, visit us at: marazzitile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmationshould be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI


Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: marazzitile.com/Factors.

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to marazzitile.com/LargeTiles for more information.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.

*StepWise™ available in 12 x 24 Textured finish only



COVER FEATURES MODERN FORMATION" IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON MOSAIC IN PEAK WHITE LIGHT POLISHED & MIXED CHEVRON WHITE LIGHT POLISHED WHITE LIGHT

*StepWise™ available in 12 x 24 Textured finish only

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with Marazzi Customer Service for details.