
SCENARIOTM

PATTERN GUIDE


















AVAILABLE COLORS & FINISHES

FLOOR TILE



SR20 Bianco (4 pieces)



SR21 Blu (4 pieces)



SR22 Nero (4 pieces)


DECO TILE



SR23 Blu Triangle (4 Pieces)



SR24 Blu Convex (4 Pieces)




SR25 Blu Crescent (4 Pieces)



SR26 Nero Triangle (4 Pieces)



SR27 Nero Convex (4 Pieces)



SR28 Nero Crescent (4 Pieces)
































SR24 Blu Convex



SR25 Blu Crescent













SR25 Blu Crescent





SR24 Blu Convex



SR25 Blu Crescent













SR25 Blu Crescent



SR24 Blu Convex



SR25 Blu Crescent














SR25 Blu Crescent



SR24 Blu Convex









SR23 Blu Triangle



SR21 Blu









u **SR24** Blu Convex

















SR27 Nero Convex

SR28 Nero Crescent









SR26 Nero Triangle





SR28 Nero Crescent



SR27 Nero Convex










SR26 Nero Triangle



SR26 Nero Triangle













SR28 Nero Crescent




SR27 Nero Convex



SR28 Nero Crescent















SR23 Blu Triangle

SR26 Nero Triangle



SIZES

| | | Thickness | Sq. Ft./ Carton | Pieces/ Carton |
|---------------------|--|-----------|--------------------|-------------------|
| 8 x 8 Floor Tile | 7-7/8" x 7-7/8" (20.00 cm x 20.00 cm) | 3/8" | 10.32 | 24 |
| 8 x 8 Deco Tile | 7-7/8" x 7-7/8" (20.00 cm x 20.00 cm) | 3/8" | 10.32 | 24 |

TRIM

| Description | Number | Size | Shape | |
|----------------|--------|-------|-------|--|
| Floor Bullnose | S4489 | 4 x 8 | | |

APPLICATIONS

| | Target DCOF wet | Suitable |
|--|--------------------|----------|
| Dry & Level - Interior Floor | N/A | |
| Wet & Level - Interior Floor | ≥ 0.42 | |
| Shower Floors (Residential or Light Commercial) | ≥ 0.42 | |
| Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear) | ≥ 0.60 | |
| Ramps & Inclines | ≥ 0.65 | |
| Walls/Backsplashes | N/A | |
| Countertops | N/A | |
| Pool Linings | N/A | |

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

INSTALLATION

| Grout Joint Recommendation | Shade Variation |
|----------------------------|------------------------|
| Floor Tile: 3/16" | V2 Medium Variation |

PERFORMANCE CHARACTERISTICS

| | 1 | |
|---------------------|-------|-----------------|
| | ASTM# | Floor Result |
| Water Absorption | C373 | < 0.5% |
| Breaking Strength | C648 | > 275 lbs |
| Scratch Hardness | MOHS | 8.0 |
| Chemical Resistance | C650 | Resistant |

For additional information on test results, visit us at: marazzitile.com/information/TestResults.

DURABILITY

Floor Surface Wear Resistance

| 1 | Residential Bathrooms | 3 | All Residential / Light Commercial |
|---|-----------------------|---|---------------------------------------|
| 2 | All Residential Areas | 4 | All Residential / Commercial |

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: marazzitile.com/Factors.

Use of a latex modified thin-set is recommended for installation. For more information, visit marazzitile.com.

FEATURES



PRE-CONSUMER RECYCLED MATERIALS



REVEAL IMAGING®







All or select items within this series meet the requirements for these qualifications. For more information visit marazzitile.com.