



 daltile®

PERENNIAL

PORCELAIN ROOFING™

designed to endure

WHY ROOFING?



More than seven decades of experience working with tile, we understand the value of durability



We know the materials that can withstand extreme wear and tear



We know luxury and longevity - two qualities every roof should have



Comprehensive expertise resulting in roofing tiles with timeless beauty and everlasting quality - all while being affordable and easy to install





NORDIC TIMBER PR40



MYSTIC TIMBER PR41

ROOF TILE – SIZES


	Nominal Size	Actual Size	Thickness	Pieces/ Square	Weight/ Square	Pieces/ Carton	Carton/ Pallet
STANDARD	11 x 22 Roof Tile	(11-1/4" x 22-1/2") (28.60 cm x 57.20 cm)	(8-9mm)	77	535.00 Lbs.	10	32
HD	11 x 22 Roof Tile	(11-1/4" x 22-1/2") (28.60 cm x 57.20 cm)	(12-13mm)	77	743.00 Lbs.	7	32




ROOF TILE – SIZES

Nominal Size	Actual Size	Thickness	Pieces/ Square	Weight/ Square	Pieces/ Carton	Carton/ Pallet
11 x 22 Roof Tile	(11-1/4" x 22-1/2") (28.60 cm x 57.20 cm)	STANDARD (8-9 mm)	77	535.00 Lbs.	10	32
11 x 22 Roof Tile	(11-1/4" x 22-1/2") (28.60 cm x 57.20 cm)	HD (12-13 mm)	77	743.00 Lbs.	7	32

TRIM – SIZES

		Thickness	Pieces/ Carton
	8 x 8 Hip/ Ridge (15-3/4" x 15-3/4") (40.00 cm x 40.00 cm)	5/16"	9

SHADE VARIATION

Product	Variation
Nordic Timber Mystic Timber	 High (V3)

TESTING/APPROVALS/CODES

Test	STATUS
Class IV Hail*	Yes
ASTM 1167 Clay Tile	Yes
Class A Fire	Yes
ASTM C1549/Cool Roof Rating Council	Yes
ASTM G155- Xeon Arch Exposure†	Yes
TAS-100 Wind Driven Rain	Yes
SSTD 11-99 Overturn/Uplift Test	Yes
Miami Dade/Florida Building Code	Pending
Texas Department of Insurance	Pending

* on HD SKUs only

†Accelerated weather test, provides 75 years of aging; 1 year outdoor structure showed no signs of weathering.



Applicable for one transfer with registration in 60 Days. Valid for roofing tile only, labor not included. Recycled material not applicable.



MADE IN THE U.S.A.



REVEAL IMAGING®



PRE-CONSUMER
RECYCLED MATERIALS



All or select items within this series meet the requirements for these qualifications. For more information visit daltile.com.